




GURUKRUPA ENGINEERING



OUR PRODUCTS RANGE

- ◆ Chilly Clamp / Rubber Nut Clamp
- ◆ Sprinkler Clamp
- ◆ Z Patti
- ◆ C Channel
- ◆ FRP Patti
- ◆ L Patti
- ◆ L band
- ◆ Nut Washer
- ◆ C-Bracket
- ◆ U-Bolt
- ◆ Thread Rod
- ◆ Bullet Anchor
- ◆ Gas Clamp
- ◆ Distance Clamp
- ◆ Saddle Clamp
- ◆ Head Plate



MHS L Metal Bracket



Bullet Anchor



Slotted 'C' Channel



Cable Tray



Chilli Clamp



Distance Clamp

ensure that the piping system remains stable, secure, and well-aligned, particularly when the pipes need to be suspended from a ceiling, wall, or other structural elements.
Size ½ to 12 all size



Solar Clamp



fastner pin type anchor



Gas Pipe Line Clamp

to secure gas pipes in sanitation applications, fire protection systems and other applications. They are designed to withstand the pressure of the gases circulating inside the pipes, as well as the possible temperature variations to which they are subjected.
Size top ($\frac{1}{2}$ / $\frac{3}{4}$) Size bottom (2 / 4 / 6)



Hex Nut




Jasti Khila




L Bend

connects the wall mixer to the water supply pipes behind the wall. It allows for a smooth and secure connection, ensuring a steady flow of water to the faucet size (2 to 6)



L corner




L Patti




long Nut



Ms Ss Screw



Heavy Duty Tri Clamp



Solar Clamp



Sprinkler Clamp

Size 1 to 12 (Material With rubber and without rubber both available)



White Thread Seal Teflon Tape




Threaded Rod

Threaded rods, also known as all-thread, are versatile fasteners used for various applications, including construction, manufacturing, and automotive industries, where they secure components, provide adjustable support, and create connections.



U Bolts Rubber Sliv

**Size ½ to 14
Material
With pvc coating and without
pvc coating Both are available**



Different Types of Washers



Z Patti

THANK YOU!